



Animal Clinic, LLC

232 First Street
Fort Lupton, CO 80621
303 857-6671
303 857-6673 FAX

Troy A. Dowdy, DVM
Victoria Hamil, DVM
Nigel Miller, DVM
Danielle Hart, DVM
Dan Barkey, DVM
Amy Yohe, DVM
Clarissa Carver, DVM
Sarah Hills, DVM

BEEF COW VACCINATION PROTOCOL FOR MARCH CALVING HERD

Baby Calves at birth: (March)

Colostrum – within 6 hours of birth.
Dip navels in strong Iodine (7%).
Band bulls not intended for breeding. (Clostridium C,D and Tetanus)
C & D Antitoxin (& if scouring problems in herd, Calf Guard and First Defense bolus)

Baby Calves at branding time: (1-3 months of age): (April - May)

Branding and Dehorning (Clostridium C, D and Tetanus)
5 way modified live respiratory – Bovishield 5 Gold FP
7 or 8 way Clostridium – Ultrabac

Baby Calves - Booster dose of vaccine (4 weeks after branding vaccines): (May - June)

5 way modified live respiratory – Bovishield 5 Gold FP
7 or 8 way Clostridium – Ultrabac

Two weeks prior to weaning: (October - November)

5 way modified live respiratory + shipping fever – Bovishield 5 One shot
7 or 8 way Clostridium – Ultrabac
Bangs vaccinate heifers – Veterinarian
Parasite Control – Ivermectin pour-on

Fall pregnancy check: (October – November)

Cows and Bulls:

Pregnancy check cows
Parasite Control – Ivermectin pour on
7 or 8 way Clostridium – Ultrabac
Calf Scours vaccine – Scourguard 4KC
Virashield 6 + L5 – if cows were not vaccinated pre-breeding with Bovishield 5 +5L FP

Late Fall Booster dose of Scours vaccine (3-4 weeks after initial dose and at least 6 weeks before calving if cows did not have it the year before- heifers):

Calf Scours vaccine – Scourguard 4KC

Spring – after calving and before breeding: (April - May)

Cows and Bulls:

5 way modified live Lepto. respiratory /abortion – Bovishield 5 + L5 FP
7 or 8 way Clostridium – Ultrabac
Pour-on Ivermectin

Yearling replacement heifers:

5 way modified live Lepto. respiratory / abortion – Bovishield 5 +L5 FP
7 or 8 way Clostridium – Ultrabac
Pour-on Ivermectin